


Overview

HP's second generation rackmount keyboard combines a full size keyboard with touch pad in a 1U format with room to mount an HP KVM Switch behind it. The 1U Rackmount Keyboard includes a three button touch pad, 4 scroll keys, and Windows shortcut keys. The 1U Rackmount Keyboard also provides PS2 and USB connectivity and a USB port on the front of the keyboard for USB pass through with compatible KVM switches. New silver color and front LEDs ease unit identification when closed in high density racks.



Overview

Models

1U Rackmount Keyboard with USB US	AG072A
1U Rackmount Keyboard with USB UK	AG073A
1U Rackmount Keyboard with USB GR	AG074A
1U Rackmount Keyboard with USB FR	AG075A
1U Rackmount Keyboard with USB IT	AG076A
1U Rackmount Keyboard with USB SP	AG077A
1U Rackmount Keyboard with USB DEN	AG078A
1U Rackmount Keyboard with USB NOR	AG079A
1U Rackmount Keyboard with USB SE/FI	AG080A
1U Rackmount Keyboard with USB SWI	AG081A
1U Rackmount Keyboard with USB PORT	AG082A
1U Rackmount Keyboard with USB BEL	AG083A
1U Rackmount Keyboard with USB JPN2	AG084A
1U Rackmount Keyboard with USB RUS	AG085A
1U Rackmount Keyboard with USB INTL	AG086A

Product Highlights

Space Savings The 1U Rackmount Keyboard with USB combines a full size keyboard with touch pad in a 1U format with enough room to mount an HP KVM switch behind it. Tool less rails ease installation.

Ergonomic Design

New silver color With front LEDs ease unit identification when closed in high density racks.

USB and PS2 connectivity Allows a variety of connection options.

Front USB port Will provide USB pass through when used with HP Console Switches with Virtual Media

3 Button Located below the space bar for a centrally located input device.

Touchpad with scrolling

Four scroll keys (inverted T) Located between the keyboard and numeric keypad for easy access.

Windows shortcut keys Speeds navigation in Microsoft Windows environments

Tool less rails Snap in rails ease installation

Warranty Three-year Limited Warranty for parts only.
NOTE: [Certain restrictions and exclusions apply. Consult the HP Customer Support Center for details.](#)

Service and Support, HP Care Pack, and Warranty Information

Service and Support Offerings (HP Care Pack Services)

Care Pack services provide a range of life cycle support options that let you choose the service levels that meet your business requirements, from basic to mission-critical.

A full range of HP Care Pack hardware and software services are available including:

- Installation and start up
- Education courses
- Extended onsite hardware coverage hours from same business day 13 hours, 5 day to 24 hours, 7 days call window with options including 4 hour response or 6-hour Call To Repair
- Comprehensive range of software technical support for Microsoft, Linux, ProLiant Essentials and VMware-based IT solutions helping to deliver high level of application availability. Response times range from 30 mins for critical problems to 2 hours.
- System Management, Performance Services and Mission Critical Support Solution.

NOTE: For more information on HP Care Pack services, contact any of our worldwide sales offices, resellers or visit our worldwide website at: <http://www.hp.com/hps/carepack>

NOTE: For more complete information on HP Services offerings, customers and resellers, please visit is at: <http://www.hp.com/hps>

NOTE: Additional information regarding worldwide limited warranty and technical support is available at: <http://h18004.www1.hp.com/products/servers/platforms/warranty/index.html>

NOTE: For additional information on Server Services, Rack and Power Options, please visit: <http://h20219.www2.hp.com/services/cache/111072-0-0-225-121.html>

NOTE: The information contained herein is subject to change without notice and is provided "as is" without warranty of any kind.

NOTE: The warranties for HP products and services are set forth in the express limited warranty statements accompanying such products and services.

NOTE: Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Technical Specifications

Physical Dimensions	H x W x D	1.68 x 16.97 x 16.66 in (4.23 x 43.2 x 42.31 cm)
	Weight	6 lb (2.72 kg)
Shipping Dimensions	Package (L x W x D)	22.9 x 7.9 x 24.5 in (58.1 x 20 x 61.3 cm)
	Weight	26 lb (11.8 kg)
Keys	101, 102 or 106 layout (depending on country) including inverted T scroll keys, Windows keys	
Environmental Temperature	Operating	32° to 95°F (0° to 35°C)
	Storage Temperature	-4° to 140°F (-20° to 60°C)
Humidity (non-condensing)	Operating	20% to 90%
	Non-operating	5% to 95%
Keyboard/Mouse Output	PS2 and USB connectors	

Environment-friendly Products and Approach **End-of-life Management and Recycling** Hewlett-Packard offers end-of-life HP product return, trade-in, and recycling programs in many geographic areas. For trade-in information, please go to <http://www.hp.com/go/green>. To recycle your product, please go to: <http://www.hp.com/go/green> or contact your nearest HP sales office. Products returned to HP will be recycled, recovered or disposed of in a responsible manner.

The EU WEEE directive (2002/95/EC) requires manufacturers to provide treatment information for each product type for use by treatment facilities. This information (product disassembly instructions) is posted on the Hewlett Packard web site at: <http://www.hp.com/go/green>. These instructions may be used by recyclers and other WEEE treatment facilities as well as HP OEM customers who integrate and re-sell HP equipment.

© 2007 Hewlett-Packard Company

Hewlett-Packard and the Hewlett-Packard logo are trademarks of Hewlett-Packard Company in the U.S. and/or other countries. All other product names mentioned herein may be trademarks of their respective companies.

Hewlett-Packard shall not be liable for technical or editorial errors or omissions contained herein. The information is provided "as is" without warranty of any kind and is subject to change without notice. The warranties for Hewlett-Packard products are set forth in the express limited warranty statements accompanying such products. Nothing herein should be construed as constituting an additional warranty.